

Technical specifications

Classic collection
Adamantes V
Monitor



Audio Technologies Development
Since 1987

Via Fura 40, 25125 Brescia - Italy
tel. +390303701234
www.diapason-italia.com
info@diapason-italia.com

TYPE	Bookshelf/Standmount 2 way, 2 speakers
SOUND EMISSION	Direct
ACOUSTICAL LOADING	Bass-Reflex, rear emission port
CABINET	Solid walnut wood construction. Engraved multifaceted front and rear baffles for optimal diffractions management. Water based natural finish.
DRIVERS/INTERNAL WIRING	Tweeter: 19 mm silk soft Sonomex dome, wide surround, high definition Fe magnet Mid-woofer: 170 mm polymethylpentene cone, Fe magnet. Van den Hul CS12 Halogen Free
CROSSOVER FREQUENCY	2500 Hz
FREQUENCY RESPONSE	45 Hz – 25,000 Hz
SENSITIVITY (2.83 V @1 m)	90 dB SPL
NOMINAL IMPEDANCE	6 ohm
WIRING OPTIONS	Single wiring
SUGGESTED AMPLIFIER POWER OUTPUT/LONG-TERM MAX INPUT VOLTAGE (IEC 268-5)	35W – 200W, without clipping/22V rms
DIMENSIONS (WxHxD)	240 x 365 x 400 mm 260 x 1095 x 400 mm (with 2A optional stand) 520 x 440 x 410 mm x 2 boxes (each box shipping dimensions) 800 x 265 x 380 mm (2A shipping dimensions)
WEIGHT	9 Kg each Net Weight/ 10 Kg each Shipping Weight 8,3 Kg each Net Weight/ 17,5 Kg Shipping Weight (2A Walnut optional stand) 8,5 Kg each Net Weight/ 18 Kg Shipping Weight (2A Black optional stand)
PACKAGING CONTENT	1 x Owner's Manual 2 x Fabric bags/covers
OPTIONALS	Metal Grilles, 2A WALNUT or 2A BLACK stands

Technical Drawing
Adamantes V Monitor

