

Technical specifications

Classic collection
KARIS III Wave Olive



Audio Technologies Development
Since 1987

Via Fura 40, 25125 Brescia - Italy
tel. +390303701234
www.diapason-italia.com
info@diapason-italia.com

Technical specifications
KARIS III WAVE OLIVE

TYPE	Bookshelf/Standmount 2 way, 2 speakers
SOUND EMISSION	Direct
ACOUSTICAL LOADING	Bass-Reflex, Bottom emission port
CABINET	Solid olive wood construction. Engraved multifaceted front and rear baffles for optimal diffractions management. Water based natural finish
DRIVERS/INTERNAL WIRING	Tweeter: 19 mm silk soft Sonomex dome, wide surround, high definition Fe magnet Mid-woofer: 110mm polymethylpentene cone, Fe magnet, Diapason Direct drive Technology Van den Hul CS12 Halogen Free
CROSSOVER FREQUENCY	4000 Hz
FREQUENCY RESPONSE	50 Hz – 25,000 Hz
SENSITIVITY (2.83 V @1 m)	87 dB SPL
NOMINAL IMPEDANCE	8 ohm
WIRING OPTIONS	Single wiring
SUGGESTED AMPLIFIER POWER OUTPUT/LONG-TERM MAX INPUT VOLTAGE (IEC 268-5)	25W – 150W, without clipping/20 V rms
DIMENSIONS INCLUDING (WxHxD)	190 x 280 x 260 mm 610 x 360 x 440 mm (shipping dimensions) 260 x 1184 x 310 mm (Wave Black Stand optional)
WEIGHT	5,40 Kg each (Net Weight) 15 Kg + stand each (Net Weight) 16 Kg + stand each (Shipping Weight)
PACKAGING CONTENT	1 x Owner's Manual 1 x Booklet 2 x Fabric bags/covers
SPECIAL FEATURES	
OPTIONALS	Cloth Grilles, Wave stand or Wave black stand

**Technical drawings
KARIS III WAVE OLIVE**

