

Technical specifications

Classic collection

MICRA III Excel



Audio Technologies Development
Since 1987

Via Fura 40, 25125 Brescia - Italy
tel. +390303701234
www.diapason-italia.com
info@diapason-italia.com

Technical specifications
MICRA III N.W.

TYPE	Bookshelf/Standmount 2 way, 2 speakers
SOUND EMISSION	Direct
ACOUSTICAL LOADING	Bass-Reflex, Bottom emission port
CABINET	Solid walnut wood construction. Water based natural finish
DRIVERS/INTERNAL WIRING	Tweeter: 25 mm silk soft dome, Fe magnet Mid-woofer: 110mm polymethylpentene cone, Fe magnet, Diapason Direct drive Technology Van den Hul CS12 Halogen Free
CROSSOVER FREQUENCY	3800 Hz
FREQUENCY RESPONSE	60 Hz – 25,000 Hz
SENSITIVITY (2.83 V @1 m)	87 dBSPL
NOMINAL IMPEDANCE	8 ohm
WIRING OPTIONS	Single wiring
SUGGESTED AMPLIFIER POWER OUTPUT/LONG-TERM MAX INPUT VOLTAGE (IEC 268-5)	25W – 150W, without clipping/20 V rms
DIMENSIONS (WxHxD)	190 x 280 x 260 mm 610 x 360 x 440 mm (shipping dimensions) 260 x 1023 x 310 mm (2K optional stand) 800 x 265 x 380 mm (2K shipping dimensions)
WEIGHT	5,5 Kg each Net Weight/ 12 Kg Shipping Weight 8,3 Kg each Net Weight/ 17,5 Kg Shipping Weight (2K Walnut optional stand) 8,5 Kg each Net Weight/ 18 Kg Shipping Weight (2K Black optional stand)
PACKAGING CONTENT	1 x Owner's Manual 2 x Fabric bags/covers
SPECIAL FEATURES	
OPTIONALS	Cloth Grilles, 2K Walnut or 2K Black stands

Technical drawings
MICRA III N.W.

